according to Regulation (EC) No. 1907/2006, (EC) 2015/830



# **Orbit-Hausfarbe LEF**

Version 5.0 Revision Date 23.01.2017 Print Date 25.10.2017

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Orbit-Hausfarbe LEF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Coating material

stance/Mixture

Recommended restrictions

on use

: within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company : Alligator Farbwerke GmbH

Markstraße 203 32130 Enger

Telephone : +4952249300 Telefax : +4952247881

E-mail address Responsi-

ble/issuing person

: produktsicherheit@alligator.de

1.4 Emergency telephone number

Emergency telephone num- : +495224930400

ber 1 ( Mon - Fri 08:00 - 16:00 )

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary statements : P102 Keep out of reach of children.

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-4-

isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one. May produce an allergic reac-

tion.

# **Orbit-Hausfarbe LEF**

Version 5.0 Revision Date 23.01.2017 Print Date 25.10.2017

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water., Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Emulsion paint, emission-free and solvent-free

#### **Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)		
Substances with a workplace exposure limit :					
Kieselguhr, soda ash flux-calcined	68855-54-9 272-489-0 21-2119488518-22- XXXX		>= 1 - < 5		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.

In case of skin contact : Wash skin thoroughly with soap and water or use recognized

skin cleanser.

Do NOT use solvents or thinners.

In case of eye contact : Remove contact lenses.

Irrigate copiously with clean, fresh water for at least 10

minutes, holding the eyelids apart.

Seek medical advice.

If swallowed, DO NOT induce vomiting.

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

# **Orbit-Hausfarbe LEF**

Version 5.0 Revision Date 23.01.2017 Print Date 25.10.2017

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

In case of fire hazardous decomposition products may be

produced such as:

Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke).

#### 5.3 Advice for firefighters

Special protective equipment:

for firefighters

Use personal protective equipment. Wear self-contained

breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

The product itself does not burn.

Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin and eyes.

Material can create slippery conditions.

Use protective shoes or boots with rough rubber sole. Refer to protective measures listed in sections 7 and 8.

Treat recovered material as described in the section "Disposal

considerations".

#### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Prevent further leakage or spillage if safe to do so.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

# **Orbit-Hausfarbe LEF**

Version 5.0 Revision Date 23.01.2017 Print Date 25.10.2017

#### 6.4 Reference to other sections

For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling No special technical protective measures required.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures Provide adequate ventilation. Avoid contact with the skin and

> the eyes. Wash hands before eating, drinking, or smoking. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Containers which are opened must be carefully resealed and kept upright to prevent leakage. To maintain product quality, do not store in heat or direct sunlight. Store at room tempera-

ture. Perishable if frozen.

Keep away from oxidizing agents and strongly acid or alkaline Advice on common storage

materials.

Storage class (TRGS 510) : 12, Non Combustible Liquids

7.3 Specific end use(s)

Please follow the technical information of the manufacturer. Specific use(s)

## **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Kieselguhr, soda ash flux-calcined	68855-54-9	AGW (Alveolate fraction)	0,3 mg/m3	DE TRGS 900		
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Diatomeous earth can, depending on its origin, contain quartz. The calcining of silica leads to a higher content of cristobalite, activated silica can contain up to 60 vol.% cristobalite. In examining the exposure to (calcined) silica both the amorphous part (limit value for diatomeous earth resp. calcined silica) and the total of the cristobalite and quartz content (carcinogenic according to TRGS 906) should be established., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					

# **Orbit-Hausfarbe LEF**

Version 5.0 Revision Date 23.01.2017 Print Date 25.10.2017

## 8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

German trade association rules - BGR 192 Eye protection

Hand protection

Material : Nitrile rubber Glove thickness : 0,2 mm Protective index : Class 3

Remarks : Wear suitable gloves tested to EN374.

Before removing gloves clean them with soap and water.

Skin and body protection : Protective clothing

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Protective measures : No special protective equipment required.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : white

Odour : not determined

Odour Threshold : Not relevant

pH : 8,5

Melting point/freezing point : ca. 0 °C

Boiling point/boiling range : 100 °C

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Does not sustain combustion.

Upper explosion limit : not determined

Lower explosion limit : not determined

Vapour pressure : ca. 23 hPa

Relative vapour density : not determined

Relative density : not determined

Density : 1,4000 g/cm3

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

not determined

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

# **Orbit-Hausfarbe LEF**

Version 5.0 Revision Date 23.01.2017 Print Date 25.10.2017

Auto-ignition temperature : not determined

Decomposition temperature : Not applicable

Flow time : not determined

Explosive properties : Not applicable

Oxidizing properties : Not applicable

# 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if used as directed.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

Extremes of temperature and direct sunlight.

# 10.5 Incompatible materials

Materials to avoid : Incompatible with oxidizing agents.

Incompatible with acids and bases.

## 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

## Skin corrosion/irritation

#### **Product:**

Remarks: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

## Serious eye damage/eye irritation

#### **Product:**

Remarks: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

# **Orbit-Hausfarbe LEF**

Version 5.0 Revision Date 23.01.2017 Print Date 25.10.2017

# Respiratory or skin sensitisation

#### **Product:**

Remarks: Repeated contact may cause allergic reactions in very susceptible persons.

#### **Further information**

**Product:** 

Remarks: No data available

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

: No data available Toxicity to fish

Toxicity to daphnia and other : No data available

aquatic invertebrates

# 12.2 Persistence and degradability

**Product:** 

Biodegradability : No data available

# 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : No data available

#### 12.4 Mobility in soil

**Product:** 

Mobility : No data available

#### 12.5 Results of PBT and vPvB assessment

## **Product:**

This substance/mixture contains no components considered Assessment

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

#### 12.6 Other adverse effects

**Product:** 

Additional ecological infor-

mation

There is no data available for this product.

Information given is based on data on the components and

the ecotoxicology of similar products.

# **Orbit-Hausfarbe LEF**

Version 5.0 Revision Date 23.01.2017 Print Date 25.10.2017

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Materials and all related packaging must be disposed of in a

safe way in accordance with the full requirements of the local

authorities.

In Germany: Dispose containers with residues of liquid product via waste collection point accepting old paints and enamels. Dispose dried/hardened product residues as construction

site/demolition/municipal or domestic waste.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Waste Code : used product

080112, waste paint and varnish other than those mentioned

in 08 01 11

# **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

# 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

see sections 6-8

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water contaminating class : 1 slightly water endangering

(Germany) Classification according to AwSV, Annex 1 (5.2)

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

# **Orbit-Hausfarbe LEF**

Version 5.0 Revision Date 23.01.2017 Print Date 25.10.2017

Product code for laquers and

paints / Giscode

: M-DF01 Water-based paints, solvent-free

: BSW20 Coating materials, water-based

Volatile organic compounds : Directive 2004/42/EC

< 0.1 % < 1 g/l

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

#### **SECTION 16: Other information**

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Hammonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Agracy for Research on Cancer; IATA - International Agracy for Research on Cancer; IATA - International Agracy for Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IEGSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IEGSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IEGSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IEGSC - Inventory of Chemicals; Organization to 50 % of a test population; Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A

#### **Further information**

Other information

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be generated.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

# **Orbit-Hausfarbe LEF**

Version 5.0 Revision Date 23.01.2017 Print Date 25.10.2017

# **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly. This will be put into practice depending on the register-deadline of the substances involved during the transition period from December 1, 2010 till May 31, 2018.

DE / EN