

Fassaden Leichtspachtel

Version	Revision Date:	Print Date	Date of last issue: 26.02.2020
1.2	19.05.2020	09.07.2020	Date of first issue: 14.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	: Fassaden Leichtspachtel
1.2 Relevant identified uses of	the substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: Water-borne coatings
Recommended restrictions on use	: within adequate application - none
1.3 Details of the supplier of th	e safety data sheet
Company	: Alligator Farbwerke GmbH Markstraße 203 32130 Enger
Telephone	: +4952249300
Telefax	: +4952247881
E-mail address Responsi- ble/issuing person	: produktsicherheit@alligator.de
1.4 Emergency telephone num	
Emergency telephone num- ber 1	: +49613284463 GBK GmbH
SECTION 2: Hazards identif	cation
2.1 Classification of the substa	nce or mixture
Classification (REGULATI	
Skin sensitisation, Category	1 H317: May cause an allergic skin reaction.
2.2 Label elements	
Labelling (REGULATION (EC) No 1272/2008)
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H317 May cause an allergic skin reaction.
Precautionary statements	: P101 If medical advice is needed, have product container or label at hand.

according to Regulation (EC) No. 1907/2006

Fassaden Leichtspachtel

Version 1.2	Revision Date: 19.05.2020	Print Date 09.07.2020	Date of last issue: 26.02.2020 Date of first issue: 14.11.2019
		P102 Keep out	of reach of children.
		Prevention:	
			t in eyes, on skin, or on clothing. ective gloves/ eye protection.
		Response:	
		P302 + P352 IF water.	ON SKIN: Wash with plenty of soap and
Hazar	dous components whi	ch must be listed on the	e label:

Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one

2-methylisothiazol-3(2H)-one

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Synthetic resin filler, aqueous

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 <u>Acute Tox. 2; H330</u> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,0025 - < 0,025
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400	>= 0,0025 - < 0,025

Components

according to Regulation (EC) No. 1907/2006

Fassaden Leichtspachtel

/ersion 1.2	Revision Date: 19.05.2020			_
			Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic	
Substa	ances with a workpla	ce exposure limit :	aquatic toxicity): 1	
Limest	tone	1317-65-3 215-279-6	>= 50 - < 70)

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.	
If inhaled	:	Move to fresh air.	
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.	
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.	
4.2 Most important symptoms and effects, both acute and delayed			

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing medi	a :	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.

according to Regulation (EC) No. 1907/2006

Fassaden Leichtspachtel

Version	Revision Date:	Print Date	Date of last issue: 26.02.2020
1.2	19.05.2020	09.07.2020	Date of first issue: 14.11.2019

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
----------------------	---	---

6.2 Environmental precautions

Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.
		Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8.
		No special technical protective measures required.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat,
		drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Perishable if frozen. To maintain product quality, do not store
areas and containers		in heat or direct sunlight. Store at room temperature in the
		original container. Containers which are opened must be care-
		fully resealed and kept upright to prevent leakage.

according to Regulation (EC) No. 1907/2006

Fassaden Leichtspachtel

Version	Revision Date:	Print Date	Date of last issue: 26.02.2020
1.2	19.05.2020	09.07.2020	Date of first issue: 14.11.2019
Advic	e on common storage	: Keep away fr	om oxidizing agents and strongly acid or alkaline

materials.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Limestone	1317-65-3	TWA (inhalable dust)	10 mg/m3	GB EH40	
Further information	long-term exp that have thei with., Inhalabl enters the nos deposition in the that penetrate explanatory m particles of a particular part response that distinguishes and 'respirabl' includes dust greater than 1 TWA of respir people are ex signed specifi limits., For the those fraction dertaken in ac	osure limit should be r own assigned WEL e dust approximates a and mouth during he respiratory tract. s to the gas exchang iaterial are given in N wide range of sizes. icle after entry into th it elicits, depend on two size fractions for e'., The COSHH defi of any kind when pre 0 mg.m-3 8-hour TV able dust. This mean posed to dust above c WELs and exposu a purposes of these I s of airborne dust wh cordance with the m ampling and gravine posels	besure limit is listed, a figure the used., Where dusts contained, all the relevant limits should to the fraction of airborne metathing and is therefore and the region of the lung. Fuller of MDHS14/4., Most industrial of The behaviour, deposition are human respiratory system the nature and size of the partimit-setting purposes termed inition of a substance hazard esent at a concentration in ai VA of inhalable dust or 4 mg. In these levels. Some dusts hare to these must comply with imits, respirable dust and inhich will be collected when sate thods described in MDHS1	components d be complied aterial that vailable for es to the fraction definitions and lusts contain nd fate of any and the body article. HSE ed 'inhalable' ous to health r equal to or m-3 8-hour ct to COSHH if ave been as- the appropriate ialable dust are ampling is un- 4/4 General ioracic and	
		TWA (Respirable dust)	4 mg/m3	GB EH40	

8.2 Exposure controls

Personal protective equipm	nent	
Eye protection Hand protection	:	Goggles
Material	:	Nitrile rubber
Glove thickness	:	0,2 mm
Protective index	:	Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374.
Skin and body protection	:	Safety shoes Long sleeved clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.

according to Regulation (EC) No. 1907/2006

Fassaden Leichtspachtel

Version	Revision Date:	Print Date	Date of last issue: 26.02.2020
1.2	19.05.2020	09.07.2020	Date of first issue: 14.11.2019
Respir	ratory protection	Remove and wa During spray app : No personal resp quired. During spray app	vashed after contact. sh contaminated clothing before re-use. blication: impervious clothing biratory protective equipment normally re- blication: Do not breathe spray dust. Use on filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	liquid No data available No data available Not relevant
рН	:	not determined
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	not determined
Relative vapour density	:	not determined
Relative density	:	not determined
Density	:	1,1500 g/cm3
Solubility(ies) Water solubility Partition coefficient: n- octanol/water Auto-ignition temperature	:	completely miscible not determined not determined
Decomposition temperature	:	Not applicable
Viscosity Viscosity, dynamic	:	No data available
Explosive properties	:	Not applicable
Oxidizing properties	:	Not applicable

according to Regulation (EC) No. 1907/2006

Version	Revision Date:	Print Date	Date of last issue: 26.02.2020
version 1.2	19.05.2020	09.07.2020	Date of last issue: 20.02.2020 Date of first issue: 14.11.2019
1.2	19.05.2020	09.07.2020	Date of mist issue. 14.11.2019
9.2 Other	information		
Flam	mability (liquids)	: The produc	t is not flammable.
SECTIO	N 10: Stability and	reactivity	
10.1 Read	stivity		
	•	and anniad as the	
INO Q	ecomposition if stored	and applied as direc	cied.
10.2 Chei	mical stability		
No de	ecomposition if stored	and applied as direct	cted.
10.3 Poss	sibility of hazardous	reactions	
Haza	rdous reactions	: No decomp	osition if stored and applied as directed.
10 4 Con	ditions to avoid		
		Drotoot from	fract bact and aunlight
Conc	litions to avoid	: Protect from	n frost, heat and sunlight.
	mpatible materials		
10.5 Inco			
	rials to avoid	: Incompatibl	e with acids and bases.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product: : Remarks: Based on available data, the classification criteria Acute oral toxicity are not met. : Remarks: Based on available data, the classification criteria Acute inhalation toxicity are not met. Acute dermal toxicity : Remarks: Based on available data, the classification criteria are not met. **Components:** 1,2-benzisothiazol-3(2H)-one: Acute oral toxicity : LD50 (Rat): 532 mg/kg Acute inhalation toxicity : LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

according to Regulation (EC) No. 1907/2006

Fassaden Leichtspachtel

ersion 2	Revision Date: 19.05.2020		int Date .07.2020	Date of last issue: 26.02.2020 Date of first issue: 14.11.2019
2-met	hylisothiazol-3(2H)-o	one:		
Acute	oral toxicity	:	LD50 (Rat): ⁻	120 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Skin o	corrosion/irritation			
<u>Produ</u>	<u>uct:</u>			
Rema	rks	:		the classification criteria of the European Union, s not considered as being a skin irritant.
Comp	oonents:			
Limes	stone:			
Rema	rks	:	: According to the classification criteria of the European Unic the product is not considered as being a skin irritant.	
Serio	us eye damage/eye i	rritati	on	
<u>Produ</u>	<u>ict:</u>			
Rema	rks	:		the classification criteria of the European Union s not considered as being an eye irritant.
Comp	oonents:			
Limes	stone:			
Rema	rks	:		the classification criteria of the European Union s not considered as being an eye irritant.
Respi	iratory or skin sensit	tisatio	on	
<u>Produ</u>	<u>uct:</u>			
Rema	rks	:	Causes sens	itisation.
Comp	oonents:			
Limes	stone:			
Rema	rks	:	No data avai	lable
Furth	er information			
<u>Comp</u>	oonents:			
	stone:			
Rema	rks	:	No data avai	lable

according to Regulation (EC) No. 1907/2006

Fassaden Leichtspachtel

Version	Revision Date:	Print Date	Date of last issue: 26.02.2020	
1.2	19.05.2020	09.07.2020	Date of first issue: 14.11.2019	
				-

SECTION 12: Ecological information

12.1 Toxicity

Product: Toxicity to fish : Remarks: No data available Toxicity to daphnia and other : Remarks: No data available aquatic invertebrates **Components:** 1,2-benzisothiazol-3(2H)-one: M-Factor (Acute aquatic tox- : 1 icity) M-Factor (Chronic aquatic : 1 toxicity) 2-methylisothiazol-3(2H)-one: M-Factor (Acute aquatic tox- : 10 icity) M-Factor (Chronic aquatic : 1 toxicity) 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment **Product:** : This substance/mixture contains no components considered Assessment to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.. 12.6 Other adverse effects

Product:

Additional ecological infor-	An environmental hazard cannot be excluded in the event of
mation	unprofessional handling or disposal.

according to Regulation (EC) No. 1907/2006

Fassaden Leichtspachtel

Version	Revision Date:	Print Date	Date of last issue: 26.02.2020
1.2	19.05.2020	09.07.2020	Date of first issue: 14.11.2019

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High	:	This product is a mixture and does
Concern for Authorisation (Article 59).		not contain Substances of Very High
		Concern (SVHC) equal or above
		0.1%. Therefore no advised uses
		have to be defined and no chemical
		safety assessment has to be gener-
		ated.

according to Regulation (EC) No. 1907/2006

Fassaden Leichtspachtel

Version	Revision Date:	Print Date	Date of last issue: 26.02.2020
1.2	19.05.2020	09.07.2020	Date of first issue: 14.11.2019
(Anne REAC the ma prepa Seves major	H - List of substances x XIV) H - Restrictions on the arket and use of certair rations and articles (Ar to III: Directive 2012/18 -accident hazards invol e organic compounds	manufacture, placing n dangerous substanc inex XVII) /EU of the European	on : Conditions of restriction for the fol- es, lowing entries should be considered: Number on list 3 Parliament and of the Council on the control of ances.

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

:

2

SECTION 16: Other information

Full text of H-Statements

GB EH40

GB EH40 / TWA

H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 : Causes severe skin burns and eye damage. H315 : Causes skin irritation. H317 May cause an allergic skin reaction. : H318 Causes serious eye damage. H330 Fatal if inhaled. 1 H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. Full text of other abbreviations Acute Tox. Acute toxicity Aquatic Acute Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aguatic hazard Eye Dam. Serious eye damage . Skin Corr. Skin corrosion 1 Skin Irrit. Skin irritation Skin Sens. Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw -Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS -Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IBC - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KEC I - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration, NO(A)EL - No Observed (Adverse) Effect Level; NOELE - No Observable Effect Locading Rate; NZICO - New Zealand Inventory of Chemicals; OECD - Organization for Conomic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -

UK. EH40 WEL - Workplace Exposure Limits

Long-term exposure limit (8-hour TWA reference period)

according to Regulation (EC) No. 1907/2006

Fassaden Leichtspachtel

Version	Revision Date:	Print Date
1.2	19.05.2020	09.07.2020

Date of last issue: 26.02.2020 Date of first issue: 14.11.2019

riage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification	of the	mixture:	

Classification procedure:

Skin Sens. 1 H317

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly. This will be put into practice depending on the register-deadline of the substances involved during the transition period from December 1, 2010 till May 31, 2018.

GB / EN